

Date of issue: May 13, 2020

Revision: 02

AEROFIX SDS Number: MC-006

# 1. PRODUCT AND COMPANY IDENTIFICATION

Page1

Identification of Product . Self-extinguishing polyurethane rigid cellular plastic foam

combined with inner lining of flexible rubber insulation foam

and outer lining of protective rubber tape

Trade Name . AEROFIX

Manufacturer : AEROFLEX CO., LTD

111/7, 111/11 Mu 2 Tambol Makhamku, Amphur

Nikompattana, Rayong Thailand. 21180

Supplier : Airefrig Australia Pty Ltd

75 Beechboro Road Bayswater WA 6053

Telephone Number : 08 9271 0500 Fax Number : 08 9370 2868

Email Address : sales@airefrig.com.au

## 2. Hazards Identification

[GHS Classification]

Physical Hazard : None.

GHS Classification : Not a hazardous substance or mixture.

GHS label elements: Not a hazardous substance or mixture.

Other hazards : None.

Signal word : No Hazard Statement.



SAFETY DATA SHEET

Revision: 02

SDS Number: MC-006

Date of issue: May 13, 2020

Page2

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

**Description**: This product is polyether polyols based material (polyurethane-based material) polymerized to form a stable rigid insulation with additive for fire performance laminated with rubber linings

#### 4. FIRST AID MEASURES

#### Inhalation

**AFROFIX** 

Not applicable

### Eye contact

Not required under normal use. Flash with water until all traces of this material are gone. Seek medical attention if irritation persists

### Ingestion

If illness or adverse symptoms develop, obtain medical attention

### **Skin Contact**

Not applicable

## 5. FIRE FIGHTING MEASURES

### **Extinguishing Media**

Use water spray, foam, Carbon Dioxide or dry chemical extinguishers

### Specific Hazards with regard to Fire-Fighting measures

Self-contained breathing apparatus for smoke



Date of issue: May 13, 2020

Revision: 02

AEROFIX SDS Number: MC-006

Page3

#### 6. ACCIDENTAL RELEASE MEASURES

In Event of Released /Spill : Not applicable

## 7. HANDING AND STORAGE

Handling condition : No special precaution required

Storage condition : Keep in a cool dry place

## 8. EXPOSURE CONTROL/PERSONAL PROTECTION

**Personal Protection** : Not applicable

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Rigid cellular polyurethane foam

Specific Gravity ( $H_2O=1$ ) : 170-300

Thermal Conductivity : <0.050 W/m.K at 24 °C

Water Absorption (%by weight) : <5 % by weight max

 $\textbf{Compression Strength} \hspace{1.5cm} : > 16 \; kg/cm^2$ 

Flammability : Self-extinguishing

### 10. STABILITY AND REACTIVITY

Chemical stability : Stable at ambient temperatures and pressure

Condition to Avoid : None known



Date of issue: May 13, 2020

Revision: 02

AEROFIX SDS Number: MC-006

Page4

### 11. TOXICOLOGICAL INFORMATION

Inhalation : Not applicable

Skin contact : Non-irritating to skin

Eye contact : Dust may cause irritation

## 12. ECOLOGICAL INFORMATION

No data

### 13. DISPOSAL CONSIDERATION

Disposal : Waste material may be disposed of as normal industrial waste under

condition which meet federal, state, provincial and local regulations

#### 14. TRANSPORTATION INFORMATION

**International Regulations** 

IATA-DGR : Not regulated as a dangerous goods

**IMDG-Code** : Not regulated as a dangerous goods

**Domestic regulation** : Not regulated as a dangerous goods

### 15. REGULATORY INFORMATION

International regulation : EU Regulation (EC) No.1272/2008 on classification, labeling and packaging

of chemical substances and mixtures

Thai regulation : Hazardous substance (Praradbunyut 2535)



*AEROFIX* 

Date of issue: May 13, 2020

Revision: 02

SDS Number: MC-006

Page5

### 16. OTHER INFORMATION

Reference data : Globally Harmonized System of Classification and Labeling of Chemicals – GHS

Abbreviation: CLP: EU Regulation (EC) No.1272/2008 on classification, labeling and packaging of chemical substances and mixtures.

combination with other material or process. Further the information contained here is believed to reliable and based on correct state of our knowledge. However no guarantees of any kind can be give as to its accuracy.